

Safety Data Sheet

Revision Date: 12-Mar-2019 Issue Date: 12-Mar-2019 Version 1

1. IDENTIFICATION

Product identifier

Product Name Econo-Spray 3 Mold Release Cylinder

Other means of identification

SDS# 40830P

Product Code 40830P **UN/ID No** UN1954

Recommended use of the chemical and restrictions on use Recommended Use Industrial mold release.

Details of the supplier of the safety data sheet

Supplier Address Slide Products Inc. 430 Wheeling Road Wheeling, IL 60090

Emergency telephone number

Company Phone Number Phone: 1-847-541-7220

Fax: 1-847-541-7986

Emergency Telephone INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear gas Physical state Gas

Classification

Skin corrosion/irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 1
Flammable gases	Category 1
Gases under pressure	Compressed gas

Signal Word Danger

Hazard statements

Causes skin irritation

May cause respiratory irritation. May cause drowsiness or dizziness

May be fatal if swallowed and enters airways

Extremely flammable gas

Contains gas under pressure; may explode if heated



Revision Date: 12-Mar-2019

Precautionary Statements - Prevention

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not breathe dust, fume, gas, mist, vapors, or spray

Use only outdoors or in a well-ventilated area

Keep away from heat, sparks, open flames, and hot surfaces. — No smoking

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention IF ON SKIN: Wash with plenty of water and soap Take off contaminated clothing and wash before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

LEAKING GAS FIRE: Do not extinguish, unless leak can be stopped safely

Eliminate all ignition sources if safe to do so

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Protect from sunlight

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Heptane	142-82-5	60-70
Propane	68476-86-8	25-35
Polyalkylene Glycol	9003-13-8	1-5

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST AID MEASURES

Description of first aid measures

General Advice If exposed or concerned: Get medical advice/attention.

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists: Get

medical advice/attention.

Skin Contact Wash with soap and water. Take off contaminated clothing. Wash contaminated clothing

before reuse. If skin irritation persists, call a physician.

Inhalation Remove to fresh air. If breathing is difficult, give oxygen.

Ingestion Do NOT induce vomiting. Drink plenty of water or milk immediately. Call a physician or

poison control center immediately.

Most important symptoms and effects, both acute and delayed

Symptoms Irritating to mouth, throat, and stomach if ingested. Overexposure by inhalation can cause

headaches, nausea, dizziness, decreased blood pressure. May cause skin irritation and defatting of skin with repeated/prolonged contact. Exposed individuals may experience eye

tearing, redness and discomfort.

Revision Date: 12-Mar-2019

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Cylinders exposed to fire may vent. Vapors may form explosive mixtures with air. Pressurized container: May burst if heated.

Hazardous combustion products Carbon oxides.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Use personal protection recommended in Section 8. Wash thoroughly after handling. Do

not breathe dust, fume, gas, mist, vapors, or spray Use only in well-ventilated areas Keep away from heat, sparks, open flames, and hot surfaces. — No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after

use.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat. Protect from direct sunlight. Store away from sources of ignition. Store locked up.

Incompatible Materials None known.

Revision Date: 12-Mar-2019

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Heptane	STEL: 500 ppm	TWA: 500 ppm	IDLH: 750 ppm
142-82-5	TWA: 400 ppm	TWA: 2000 mg/m ³	Ceiling: 440 ppm 15 min
		(vacated) TWA: 400 ppm	Ceiling: 1800 mg/m ³ 15 min
		(vacated) TWA: 1600 mg/m ³	TWA: 85 ppm
		(vacated) STEL: 500 ppm	TWA: 350 mg/m ³
		(vacated) STEL: 2000 mg/m ³	

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses.

Skin and Body Protection Protective gloves are not required, but recommended.

Respiratory Protection Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Remarks · Method

Information on basic physical and chemical properties

Physical state Gas Clear gas **Appearance**

Odor Not determined Color Clear **Odor Threshold** Not determined

Property Values

Not determined pН **Melting point / freezing point** Not determined Boiling point / boiling range 70°C / 159°F Flash point Not available Faster than ether **Evaporation Rate** Flammability (Solid, Gas) Not determined

Flammability Limit in Air

Upper flammability or explosive 7.5% limits Lower flammability or explosive 1.2%

limits

Vapor Pressure 137 mm Hg **Vapor Density** Heavier than air

Relative Density 0.6288

Water Solubility Not determined Solubility in other solvents Not determined **Partition Coefficient** Not determined **Autoignition temperature** Not determined **Decomposition temperature** Not determined Kinematic viscosity Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

Revision Date: 12-Mar-2019

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Do not puncture or incinerate cylinders.

Incompatible materials

None known.

Hazardous decomposition products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Avoid contact with eyes.

Skin Contact Causes skin irritation.

Inhalation Do not inhale.

Ingestion Do not ingest.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Heptane 142-82-5	-	= 3000 mg/kg (Rabbit)	$= 103 \text{ g/m}^3 \text{ (Rat) 4 h}$
Polyalkylene Glycol	= 5840 mg/kg (Rat) = 9100 mg/kg	= 21200 μL/kg (Rabbit) = 13340	-
9003-13-8	(Rat)	mg/kg (Rabbit)	

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Based on the information provided, this product does not contain any carcinogens or

potential carcinogens as listed by OSHA, IARC or NTP.

STOT - single exposure May cause respiratory irritation. May cause drowsiness or dizziness.

Aspiration hazard May be fatal if swallowed and enters airways.

Revision Date: 12-Mar-2019

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

 Oral LD50
 36,017.00 mg/kg

 Dermal LD50
 4317.00 mg/kg

 Gas
 1,018,724.20 mg/L

 ATEmix (inhalation-vapor)
 2,001.00 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Heptane		375.0: 96 h Cichlid fish mg/L LC50	10: 24 h Daphnia magna mg/L
142-82-5		_	EC50

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Chemical name	Partition coefficient
Heptane	4.66
142-82-5	
Propane	<=2.8
68476-86-8	

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
Heptane	Toxic
142-82-5	Ignitable

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

UN/ID No UN1954

Proper Shipping Name Compressed gas, flammable, n.o.s. (Heptane, propane)

Hazard class 2.1

Revision Date: 12-Mar-2019

IATA UN number UN1954

Proper Shipping Name Compressed gas, flammable, n.o.s. (Heptane, propane)

Transport hazard class(es) 2.1

IMDG

UN number UN1954

Proper Shipping Name Compressed gas, flammable, n.o.s. (Heptane, propane)

Transport hazard class(es) 2.1
Marine Pollutant Yes

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Heptane	Х	Х	Х	Х	Х	Χ	Х	Х
Propane	Х	Х	Х		Х	Х	Х	Х
Polyalkylene Glycol	Х	Х	Х		Х	Х	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Heptane	X	X	X
142-82-5			

Revision Date: 12-Mar-2019

16. OTHER INFORMATION

NFPAHealth Hazards
Not determinedFlammability
Not determinedInstability
Not determinedSpecial Hazards
Not determinedHMISHealth HazardsFlammabilityPhysical hazardsPersonal Protection140B

Issue Date:12-Mar-2019Revision Date:12-Mar-2019Revision Note:New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet