

Safety Data Sheet

Issue Date: 01-Sep-2012

Revision Date: 06-Sept-2018

Version 3

1. IDENTIFICATION		
Draduat Idantifiar		
Product Identifier Product Name	Silicone Spray Lube Mold Belease (S.S.L.)	
	Silicone Spray Lube Mold Release (S.S.L.)	
Other means of identification		
SDS #	42112N	
Product Code	42112N	
Synonyms	Slide Regular	
	Dimethylpolysiloxane Solution.	
UN/ID No	UN1950	
Other Information	Formula: 53114.	
Recommended use of the chemic	cal and restrictions on use	
Recommended Use	Industrial mold release and lubricant.	
Details of the supplier of the safe	tv data sheet	
Supplier Address		
Slide Products Inc.		
430 S. Wheeling Road		
Wheeling, IL 60090		
Emergency Telephone Number		
Company Phone Number	Phone: 1-847-541-7220	
	Fax: 1-847-541-7986	
Emergency Telephone (24 hr)	INFOTRAC 1-352-323-3500 (International)	
	1-800-535-5053 (North America)	
	2. HAZARDS IDENTIFICATION	
Appearance Clear, oily, colorless	liquid Physical State Aerosol	Odor No odor
FF		

Classification

Flammable Aerosols	Category 2
Gases Under Pressure	Compressed Gas

<u>Signal Word</u> Warning

Hazard Statements Flammable Aerosol

Contains gas under pressure; may explode if heated



Precautionary Statements - Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Storage

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms

Slide Regular

Dimethylpolysiloxane Solution.

Chemical Name	CAS No	Weight-%
Dimethyl ether	115-10-6	55-65
1,1 difluoroethane	75-37-6	20-40
Polydimethylsiloxane	63148-62-9	1-10

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact	Rinse thoroughly with plenty of water, also under the eyelids. Call a physician immediately.
Skin Contact	Wash with soap and water.
Inhalation	Remove to fresh air.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
ost important symptoms and effects	

Mo

Symptoms Inhalation symptoms may include dizziness and headache. Nausea. Concentrated spray may cause freezing of skin area. Direct contact with eyes may cause temporary irritation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO2). Foam.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Aerosol flame projection test: 18" flame projection. Aerosols may rupture violently at temperatures above 120 F.

Hazardous Combustion Products Hydrogen fluoride and other fluorine compounds.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not drop, puncture, or incinerate. Do not spray on floors. Conditions for safe storage, including any incompatibilities Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Do not expose to temperatures exceeding 50 °C/122°F. Protect from direct sunlight. Incompatible Materials Powdered or alkaline earth metals. Exposure Guidelines Threshold Limit Value: 1000 ppm Appropriate engineering controls Apply technical measures to comply with the occupational exposure limits. Individual protection measures, such as personal protective equipment Eye/Face Protection Proper eye care is needed in all industrial operations. Skin and Body Protection No protection is ordinarily required under normal conditions of use and with adequate ventilation. General Hygiene Considerations: Handle in accordance with good industrial hygiene and safety practice.		6. ACCIDENTAL RELEASE MEASURES	
Environmental Precautions See Section 12 for additional Ecological Information. Methods and material for containment Remove leaking container to outside disposal site. Remove all sources of ignition. Methods for Clean-Up Keep in suitable, closed containers for disposal. Precautions for safe handling Advice on Safe Handling Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not spray on ar open flame or other ignition source. Pressurized container: Do not pierce or burn, even afte use. Do not drop, puncture, or incinerate. Do not spray on floors. Conditions for safe storage, includima any incompatibilities Keep containers tightly closed in a dry, cool and well-ventilated place. Do not expose to the metals. Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Do not expose to the metals. Appropriate engineering controls Apply technical measures to comply with the occupational exposure limits. Incompatible Materials Proper eye care is needed in all industrial operations. Exposure Guidelines Proper eye care is needed in all industrial operations. Skin and Body Protection No protection is ordinarily required under normal conditions of use and with adequate ventilation. General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. No protection is ordinarily required under normal conditions of use and with adequate ventilation. <th colspan="3">Personal precautions, protective equipment and emergency procedures</th>	Personal precautions, protective equipment and emergency procedures		
Methods for Containment Remove leaking container to outside disposal site. Remove all sources of ignition. Methods for Clean-Up Keep in suitable, closed containers for disposal. Precautions for safe handling T. HANDLING AND STORAGE Advice on Safe Handling Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not spray on ar open flame or other ignition source. Pressurized container: Do not pierce or burn, even atte use. Do not drop, puncture, or incinerate. Do not spray on floors. Conditions for safe storage, including any incompatibilities Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Do not expose to temperatures exceeding 50 °C/122 °F. Protect from direct sunlight. Incompatible Materials Powdered or alkaline earth metals. Appropriate engineering controls Apply technical measures to comply with the occupational exposure limits. Individual protection measures. such as personal protective equipment Proper eye care is needed in all industrial operations. Skin and Body Protection Protection is ordinarily required, but recommended. Respiratory Protection No protection is ordinarily required under normal conditions of use and with adequate ventilation. General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.			
Methods for Clean-Up Keep in suitable, closed containers for disposal. Image: Clean-Up The And Ling And STORAGE Precautions for safe handling Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even affect use. Do not drop, puncture, or incinerate. Do not spray on floors. Conditions for safe storage, including any incompatibilities Storage Conditions Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Do not expose to temperatures exceeding 50 °C/122°F. Protect from direct sunlight. Incompatible Materials Powdered or alkaline earth metals. Exposure Cuidelines Threshold Limit Value: 1000 ppm Appropriate engineering controls Apply technical measures to comply with the occupational exposure limits. Individual protection measures.sub a personal protective equipment Eye/Face Protection Eye/Face Protection Protective gloves are not required, but recommended. Respiratory Protection No protection is ordinarily required under normal conditions of use and with adequate ventilation. General Hygiene Considerations. Handle in accordance with good industrial hygiene and safety practice.	Methods and material for contain	nent and cleaning up	
7. HANDLING AND STORAGE Precautions for safe handling Advice on Safe Handling Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not spray on ar open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not drop, puncture, or incinerate. Do not spray on floors. Conditions for safe storage.including any incompatibilities Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Do not expose to temperatures exceeding 50 °C/122°F. Protect from direct sunlight. Incompatible Materials Powdered or alkaline earth metals. 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Exposure Guidelines Threshold Limit Value: 1000 ppm Appropriate engineering controls Apply technical measures to comply with the occupational exposure limits. Individual protection measures.such as personal protective equipment Eye/Face Protection Proper eye care is needed in all industrial operations. Skin and Body Protection No protection is ordinarily required under normal conditions of use and with adequate ventilation. General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.	Methods for Containment	Remove leaking container to outside disposal site. Remove all sources of ignition.	
Precautions for safe handling Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not spray on ar open flame or other ignition source. Pressurized container: Do not pierce or burn, even afte use. Do not drop, puncture, or incinerate. Do not spray on floors. Conditions for safe storage. including anv incompatibilities Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Do not expose to temperatures exceeding 50 °C/122°F. Protect from direct sunlight. Incompatible Materials Powdered or alkaline earth metals. Exposure Guidelines Threshold Limit Value: 1000 ppm Appropriate engineering controls Apply technical measures to comply with the occupational exposure limits. Individual protection Proper eye care is needed in all industrial operations. Skin and Body Protection Protective gloves are not required, but recommended. Respiratory Protection No protection is ordinarily required under normal conditions of use and with adequate ventilation. General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.	Methods for Clean-Up	Keep in suitable, closed containers for disposal.	
Advice on Safe Handling Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not spray on ar open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not drop, puncture, or incinerate. Do not spray on floors. Conditions for safe storage. including any incompatibilities Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Do not expose to temperatures exceeding 50 °C/122°F. Protect from direct sunlight. Incompatible Materials Powdered or alkaline earth metals. Exposure Guidelines Threshold Limit Value: 1000 ppm Appropriate engineering controls Apply technical measures to comply with the occupational exposure limits. Individual protection measures.such as personal protective equipment Eye/Face Protection Eye/Face Protection Proper eye care is needed in all industrial operations. Skin and Body Protection Protective gloves are not required, but recommended. Respiratory Protection No protection is ordinarily required under normal conditions of use and with adequate ventilation. General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.		7. HANDLING AND STORAGE	
open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not drop, puncture, or incinerate. Do not spray on floors. Conditions for safe storage, including any incompatibilities Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Do not expose to temperatures exceeding 50 °C/122°F. Protect from direct sunlight. Incompatible Materials Powdered or alkaline earth metals. Exposure Guidelines Threshold Limit Value: 1000 ppm Appropriate engineering controls Apply technical measures to comply with the occupational exposure limits. Individual protection measures, such as personal protective equipment Eye/Face Protection Proper eye care is needed in all industrial operations. Skin and Body Protection No protection is ordinarily required under normal conditions of use and with adequate ventilation. General Hygiene Considerations: Handle in accordance with good industrial hygiene and safety practice.	Precautions for safe handling		
Storage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place. Do not expose to temperatures exceeding 50 °C/122°F. Protect from direct sunlight.Incompatible MaterialsPowdered or alkaline earth metals.Exposure GuidelinesThreshold Limit Value: 1000 ppmAppropriate engineering controlsApply technical measures to comply with the occupational exposure limits.Individual protection measures.Personal protective equipmentEye/Face ProtectionProper eye care is needed in all industrial operations.Skin and Body ProtectionProtective gloves are not required, but recommended.Respiratory ProtectionNo protection is ordinarily required under normal conditions of use and with adequate ventilation.General Hygiene ConsiderationsHandle in accordance with good industrial hygiene and safety practice.	Advice on Safe Handling	Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not drop, puncture, or incinerate. Do not spray on floors.	
Incompatible Materials Powdered or alkaline earth metals. Incompatible Materials Powdered or alkaline earth metals. Exposure Guidelines Threshold Limit Value: 1000 ppm Appropriate engineering controls Apply technical measures to comply with the occupational exposure limits. Individual protection measures. suct as personal protective equipment Proper eye care is needed in all industrial operations. Explore Protection Proper eye care is needed in all industrial operations. Skin and Body Protection Protective gloves are not required, but recommended. Respiratory Protection No protection is ordinarily required under normal conditions of use and with adequate ventilation. General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.	Conditions for safe storage, inclu	ding any incompatibilities	
8. EXPOSURE CONTROLS/PERSONAL PROTECTION Exposure Guidelines Threshold Limit Value: 1000 ppm Appropriate engineering controls Apply technical measures to comply with the occupational exposure limits. Individual protection measures, such as personal protective equipment Proper eye care is needed in all industrial operations. Skin and Body Protection Protective gloves are not required, but recommended. Respiratory Protection No protection is ordinarily required under normal conditions of use and with adequate ventilation. General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.	Storage Conditions		
Exposure GuidelinesThreshold Limit Value: 1000 ppmAppropriate engineering controlsApply technical measures to comply with the occupational exposure limits.Individual protection measures, such as personal protective equipmentEye/Face ProtectionProper eye care is needed in all industrial operations.Skin and Body ProtectionProtective gloves are not required, but recommended.Respiratory ProtectionNo protection is ordinarily required under normal conditions of use and with adequate ventilation.General Hygiene ConsiderationsHandle in accordance with good industrial hygiene and safety practice.	Incompatible Materials	Powdered or alkaline earth metals.	
Appropriate engineering controls Apply technical measures to comply with the occupational exposure limits. Individual protection measures, such as personal protective equipment Imply technical measures is needed in all industrial operations. Eye/Face Protection Proper eye care is needed in all industrial operations. Skin and Body Protection Protective gloves are not required, but recommended. Respiratory Protection No protection is ordinarily required under normal conditions of use and with adequate ventilation. General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.	8. E2	XPOSURE CONTROLS/PERSONAL PROTECTION	
Engineering ControlsApply technical measures to comply with the occupational exposure limits.Individual protection measures.sub as personal protective equipmentEye/Face ProtectionProper eye care is needed in all industrial operations.Skin and Body ProtectionProtective gloves are not required, but recommended.Respiratory ProtectionNo protection is ordinarily required under normal conditions of use and with adequate ventilation.General Hygiene ConsiderationsHandle in accordance with good industrial hygiene and safety practice.	Exposure Guidelines	Threshold Limit Value: 1000 ppm	
Individual protection measures, such as personal protective equipment Eye/Face Protection Proper eye care is needed in all industrial operations. Skin and Body Protection Protective gloves are not required, but recommended. Respiratory Protection No protection is ordinarily required under normal conditions of use and with adequate ventilation. General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.	Appropriate engineering controls		
Eye/Face ProtectionProper eye care is needed in all industrial operations.Skin and Body ProtectionProtective gloves are not required, but recommended.Respiratory ProtectionNo protection is ordinarily required under normal conditions of use and with adequate ventilation.General Hygiene ConsiderationsHandle in accordance with good industrial hygiene and safety practice.	Engineering Controls	Apply technical measures to comply with the occupational exposure limits.	
Skin and Body ProtectionProtective gloves are not required, but recommended.Respiratory ProtectionNo protection is ordinarily required under normal conditions of use and with adequate ventilation.General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.	Individual protection measures, such as personal protective equipment		
Respiratory Protection No protection is ordinarily required under normal conditions of use and with adequate ventilation. General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.	Eye/Face Protection	Proper eye care is needed in all industrial operations.	
ventilation. General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.	Skin and Body Protection	Protective gloves are not required, but recommended.	
	Respiratory Protection		
	General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.		
9. PHYSICAL AND CHEMICAL PROPERTIES			

Information on basic physical and chemical properties

Physical State Appearance Color	Aerosol Clear, oily, colorless liquid Colorless	Odor Odor Threshold
Property_	<u>Values</u>	Remarks · Method

Property рΗ Melting Point/Freezing Point Values Not determined < -45 °C / <-50 °F No odor Not determined

Page 3/7

Boiling Point/Boiling Range	Not available	
Flash Point	Not applicable	
Evaporation Rate	Not available	
Flammability (Solid, Gas)	Flammable aerosol	
Upper Flammability Limits	Not determined	
Property	Values	Remarks • Method
Lower Flammability Limit	Not determined	
Vapor Pressure	Not available	
Vapor Density	Not available	
Specific Gravity	0.81	(Water = 1)
Water Solubility	Not soluble	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	
Density	Weight per gallon: 6.79	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

High heat or open flames.

Incompatible Materials

Powdered or alkaline earth metals.

Hazardous Decomposition Products

Hydrogen fluoride and other fluorine compounds.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

- Eye Contact Avoid contact with eyes.
- Skin Contact Avoid contact with skin.
- Inhalation Do not inhale.
- Ingestion Do not ingest.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Dimethyl ether	-	-	= 308.5 mg/L (Rat) 4 h
115-10-6			
Polydimethylsiloxane	> 17 g/kg (Rat)	> 2 g/kg (Rabbit)	-
63148-62-9			

Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure_

Carcinogenicity Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Dimethyl ether	-0.18
115-10-6	

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances. Based on package size, product may be eligible for limited quantity exception.
<u>DOT</u>	(each not exceeding 1 L capacity)
UN/ID No	UN1950
Proper Shipping Name	Aerosols
Hazard Class	2.1

<u>IATA</u>

UN/ID No	UN1950
Proper Shipping Name	Aerosols, flammable
Hazard Class	2.1

IMDG	
UN/ID No	UN1950
Proper Shipping Name	Aerosols
Hazard Class	2.1

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Dimethyl ether	Present	Х		Present		Present	Х	Present	Х	Х
1,1 difluoroethane	Present	Х		Present		Present	Х	Present	Х	Х
Polydimethylsiloxane	Present	Х				Present	Х	Present	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Dimethyl ether 115-10-6	Х	X	Х
1,1 difluoroethane 75-37-6	Х	X	

16. OTHER INFORMATION

<u>NFPA</u> HMIS	Health Hazards Not determined Health Hazards 1	Flammability Not determined Flammability 3	Instability Not determined Physical Hazards 0	Special Hazards Not determined Personal Protection B
Issue Date:	01-Sep-	2012		

06-Sept-2018

Regulatory update

Disclaimer

Revision Date:

Revision Note:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet