

Safety Data Sheet

Issue Date: 07-Sep-2018 Revision Date: 01-Feb-2019 Version 2

1. IDENTIFICATION

Product identifier

Product Name Super Grease Ejector Pin Grease

Other means of identification

SDS# 43911P

UN/ID No UN1950

Recommended use of the chemical and restrictions on use

Recommended Use Industrial Ejector Pin Grease

Details of the supplier of the safety data sheet

Supplier Address Slide Products Inc. 430 S. Wheeling Road Wheeling, IL 60090

Emergency telephone number

Company Phone Number Phone: 1-847-541-7220

Fax: 1-847-541-7986

INFOTRAC 1-352-323-3500 (International) **Emergency Telephone**

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Water white liquid Physical state Aerosol Odor Sweet ether odor

Classification

Skin corrosion/irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 1
Flammable aerosols	Category 1
Gases under pressure	Compressed gas

Signal Word

Danger

Hazard statements

Causes skin irritation

May cause respiratory irritation. May cause drowsiness or dizziness

May be fatal if swallowed and enters airways

Extremely flammable aerosol

Contains gas under pressure; may explode if heated



Revision Date: 01-Feb-2019

Precautionary Statements - Prevention

Wear protective gloves, protective clothing, eye protection, and face protection

Wash face, hands and any exposed skin thoroughly after handling

Do not breathe dust, fume, gas, mist, vapors, or spray

Use only outdoors or in a well-ventilated area

Keep away from heat, sparks, open flames, and hot surfaces. — No smoking

Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

IF ON SKIN: Wash with plenty of water and soap Take off contaminated clothing and wash before reuse If skin irritation occurs; Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a poison center or doctor/physician if you feel unwell

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Very toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Heptane	142-82-5	50-65
1-decene, Homopolymer, Hydrogenated	68037-01-4	20-30
Propane	68476-86-8	10-20
Mineral Oil	8042-47-5	3-5
Poly(tetrafluoroethylene)	9002-84-0	0.5-1.5
Benzene, Ethynyl-, Polymer with 2-methyl1,3- butadiene, Hydrogenated	68648-89-5	0.5-1.5

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret. **

4. FIRST AID MEASURES

Description of first aid measures

General Advice If exposed or concerned: Get medical advice/attention.

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin Contact Wash with plenty of soap and water. Take off contaminated clothing and wash it before

reuse. If skin irritation occurs: Get medical advice/attention.

Inhalation Remove person to fresh air and keep comfortable for breathing. If breathing is difficult,

oxygen should be administered by qualified personnel. Call a poison center or

doctor/physician if you feel unwell.

Ingestion Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a

physician or poison control center immediately.

Most important symptoms and effects, both acute and delayed

Symptoms May cause skin and eye irritation. Ingestion may cause nausea and burning sensation.

Long term overexposure may cause liver and kidney damage. Overexposure by inhalation may cause CNS depression- drowsiness, dizziness, confusion or loss of coordination. If product is heated, inhalation of fumes released from product may cause 'polymer fume fever', a flu like illness. Symptoms of 'polymer fume fever' may include fever, chills, headache, nausea and muscle pain. Health effects caused by fluorine, hydrofluoric acid

Revision Date: 01-Feb-2019

and its mineral salts.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO2). Foam. Water.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Extremely flammable aerosol. Contains gas under pressure; may explode if heated.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up

Use a non-combustible material like vermiculite or sand to soak up the product and place

into a container for later disposal. For waste disposal, see section 13 of the SDS.

7. HANDLING AND STORAGE

Precautions for safe handling Advice on Safe Handling

Wear protective gloves/protective clothing and eye/face protection. Wash face, hands and any exposed skin thoroughly after handling. Do not breathe dust, fume, gas, mist, vapors, or spray. Use only outdoors or in a well-ventilated area. Keep away from heat, sparks, open flames, and hot surfaces. — No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store locked up. Store in a well-ventilated place. Keep container tightly closed. Protect from

sunlight. Do not expose to temperatures exceeding 50 °C/122°F.

Incompatible Materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Heptane	STEL: 500 ppm	TWA: 500 ppm	IDLH: 750 ppm
142-82-5	TWA: 400 ppm	TWA: 2000 mg/m ³	Ceiling: 440 ppm 15 min
		(vacated) TWA: 400 ppm	Ceiling: 1800 mg/m ³ 15 min
		(vacated) TWA: 1600 mg/m ³	TWA: 85 ppm
		(vacated) STEL: 500 ppm	TWA: 350 mg/m ³
		(vacated) STEL: 2000 mg/m ³	_

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits. Where

reasonably practicable, this should be achieved by the use of local exhaust ventilation and

Revision Date: 01-Feb-2019

good general extraction. If these are not sufficient to maintain concentrations of

particulates and solvent vapor below the OEL, suitable respiratory protection must be worn.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear eye/face protection. Chemical splash goggles. Refer to 29 CFR 1910.133 for eye and

face protection regulations.

Skin and Body Protection Wear suitable gloves. Consult the glove manufacturer for the most appropriate glove

material. Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection In the case of vapor formation, use a respirator with an approved filter. The filter class for

the respirator must be suitable for the maximum expected contaminant concentration (gas/vapor/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used. Refer to 29

CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Do not breathe

vapors or spray mist. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Aerosol

AppearanceWater white liquidOdorSweet ether odorColorWater whiteOdor ThresholdNot determined

Property Values Remarks • Method

pHNo information available **Melting point / freezing point**No information available

<-40 °C / <-40 °F

Boiling point / boiling range 69 % / 156 % Flash point -22 % / -7.6 %

Evaporation RateFlammability (Solid, Gas)
No information available Flammable aerosol

Flammability Limit in Air

Upper flammability or explosive 7.7%

Revision Date: 01-Feb-2019

limits
Lower flammability or explosive 1.2%

limits

Vapor Pressure 160 mm Hg

Vapor Density No information available

Relative Density 0.659 Water Solubility None

Solubility in other solvents Not determined

Partition Coefficient No information available

Autoignition temperature225 ℃ / 437 °FDecomposition temperatureNot determinedKinematic viscosityNot determined

Dynamic Viscosity No information available

Explosive Properties Pressurized container: May burst if heated

Oxidizing Properties None known

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Ignition sources. Heat. Avoid direct sunlight. Do not expose to temperatures exceeding 50 ℃/122 ℉. Do not puncture or incinerate cans.

Incompatible materials

Oxidizing agents. Reactive metals. Bases.

Hazardous decomposition products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Avoid contact with eyes.

Skin Contact May be harmful in contact with skin.

Inhalation Do not inhale.

Ingestion Do not ingest.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Heptane 142-82-5	-	= 3000 mg/kg (Rabbit)	= 103 g/m³ (Rat) 4 h
Mineral Oil 8042-47-5	> 5000 mg/kg (Rat)	-	-

Revision Date: 01-Feb-2019

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes skin irritation.

Carcinogenicity Based on the information provided, this product does not contain any carcinogens or

potential carcinogens as listed by OSHA, IARC or NTP.

Aspiration hazard May be fatal if swallowed and enters airways.

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document.

 Oral LD50
 5,005.00 mg/kg

 Dermal LD50
 3,000.00 mg/kg

 ATEmix (inhalation-dust/mist)
 103.00 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Heptane 142-82-5		375.0: 96 h Cichlid fish mg/L LC50	10: 24 h Daphnia magna mg/L EC50
Mineral Oil		10000: 96 h Lepomis macrochirus	EC30
8042-47-5		mg/L LC50	

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Chemical name	Partition coefficient
Heptane 142-82-5	4.66
Petroleum gases, liquified, sweetened 68476-86-8	<=2.8
Mineral Oil 8042-47-5	6

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status Chemical name California Hazardous Waste Status Heptane Toxic 142-82-5 Ignitable

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances. Based on package size, product may be eligible for

Revision Date: 01-Feb-2019

limited quantity exception.

DOT

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard class 2.1

IATA

UN1950

Proper Shipping Name Aerosols, flammable

Transport hazard class(es) 2.1

IMDG

UN numberUN1950Proper Shipping NameAerosolsTransport hazard class(es)2.1Marine PollutantHeptane

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	DSL/NDSL	EINECS/E	ENCS	IECSC	KECL	PICCS	AICS
			LINCS					
Heptane	Х	X	X	Χ	Х	Х	Х	Χ
1-decene, Homopolymer, Hydrogenated	Х	Х	Х	Х	Х	Х	Х	X
Petroleum gases, liquified, sweetened	Х	Х	Х		Х	Х	Х	X
Mineral Oil	Х	Х	Х	Х	Х	Х	Х	Х
Poly(tetrafluoroethylene)	Х	Х		Х	Х	Х	Х	Х
Benzene, Ethynyl-, Polymer with 2-methyl1,3-butadiene, Hydrogenated	Х	Х		Х	Х	Х	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

Revision Date: 01-Feb-2019

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Heptane 142-82-5	Х	X	Х
Poly(tetrafluoroethylene) 9002-84-0			Х

16. OTHER INFORMATION

NFPA_	Health Hazards	Flammability	Instability	Special Hazards
	Not determined	Not determined	Not determined	Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical hazards	Personal Protection
	Not determined	Not determined	Not determined	Not determined

 Issue Date:
 07-Sep-2018

 Revision Date:
 01-Feb-2019

Revision Note: Updated classification

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet