

Safety Data Sheet

Issue Date: 01-Sep-2012 Revision Date: 01-Jan-2015 Version 2

1. IDENTIFICATION

Product Identifier

Product Name Slide Quick Silicone MR cylinder

Other means of identification

SDS # 44635E

Product Code 44635E UN/ID No UN1954

Recommended use of the chemical and restrictions on use
Recommended Use Industrial mold release.

Details of the supplier of the safety data sheet

Supplier Address Slide Products Inc. 430 S. Wheeling Road Wheeling, IL 60090

Emergency Telephone Number

Company Phone Number Phone: 1-847-541-7220 Fax: 1-847-541-7986

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear, oily, colorless liquid Physical State Aerosol Odor Slight odor

Classification

| Skin corrosion/irritation | Category 2 |
|--|-------------|
| Serious eye damage/eye irritation | Category 2 |
| Reproductive toxicity | Category 1B |
| Specific target organ toxicity (single exposure) | Category 3 |
| Specific target organ toxicity (repeated exposure) | Category 2 |
| Flammable Aerosols | Category 2 |

Hazards Not Otherwise Classified (HNOC)

May be harmful in contact with skin

Signal Word

Danger

Hazard Statements

Causes skin irritation
Causes serious eye irritation
May damage fertility or the unborn child
May cause respiratory irritation. May cause drowsiness or dizziness
May cause damage to organs through prolonged or repeated exposure
Flammable Aerosol



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Do not spray on an open flame or other ignition source

Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|----------------------|------------|----------|
| Dimethyl ether | 115-10-6 | 65-75 |
| n-Propyl bromide | 106-94-5 | 25-35 |
| Polydimethylsiloxane | 63148-62-9 | 1-5 |

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists: Get

medical advice/attention.

Skin Contact Wash with soap and water. Take off contaminated clothing. Wash contaminated clothing

before reuse. If skin irritation occurs: Get medical advice/ attention.

Inhalation Remove to fresh air. Oxygen or artificial respiration if needed. Call a poison center or

doctor/physician if you feel unwell.

Ingestion Do not induce vomiting. If conscious, give 1 glass of water or milk to dilute. Call a physician

or poison control center immediately.

Most important symptoms and effects

Symptoms Causes skin irritation. Causes serious eye irritation. Concentrated spray may cause

freezing of skin area. Skin contact can lead to drying, defatting, itching, stinging and irritation. Prolonged breathing of vapors may cause nausea, headache, weakness and/or

Revision Date: 01-Jan-2015

dizziness. Irritating to mouth, throat, and stomach if ingested.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO2). Foam. Dry chemical.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Pressurized container: May burst if heated. Vapors can form flammable mixtures in a narrow range of 4.6% to 8.5% by volume in air. Aerosols may rupture violently at temperatures above 120 F.

Hazardous Combustion Products Carbon oxides. Hydrogen bromide.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

Environmental Precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Methods and material for containment and cleaning up

Methods for Containment Remove all sources of ignition.

Methods for Clean-Up Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Wash thoroughly after handling. Use personal protection recommended in Section 8. Do

not breathe dust/fume/gas/mist/vapors/spray. Use only in well-ventilated areas. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not smoke. Keep away from heat/sparks/open flames/hot surfaces.

— No smoking. Do not drop, puncture, or incinerate. Do not spray on floors.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.

Revision Date: 01-Jan-2015

Incompatible Materials Alkaline earth metals. Oxidizers. Bases. Reactive metals. Incompatible with natural rubber.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|------------------------------|-------------|----------|------------|
| n-Propyl bromide 106-94-5 | TWA: 10 ppm | - | - |

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses.

Skin and Body Protection Wear suitable protective clothing.

Respiratory Protection Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Aerosol

Appearance Clear, oily, colorless liquid Odor Slight odor Color **Odor Threshold** Clear Colorless Not determined Remarks · Method

Property Values

Not determined **Melting Point/Freezing Point** < -45 °C / <-50 °F

Boiling Point/Boiling Range Not available Flash Point Not available **Evaporation Rate** Not available

Flammability (Solid, Gas) Non-flammable aerosol

Upper Flammability Limits Not determined **Lower Flammability Limit** Not determined **Vapor Pressure** 139 mmHg @ 70°F Not available **Vapor Density**

Specific Gravity 0.78 (Water = 1)

Water Solubility Not soluble Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

Bulk Density 6.52 lb/gal @ 60°F

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Do not puncture or incinerate cans. High heat or open flames.

Incompatible Materials

Alkaline earth metals. Oxidizers. Bases. Reactive metals. Incompatible with natural rubber.

Hazardous Decomposition Products

Carbon oxides. Hydrogen bromide.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes serious eye irritation.

Skin Contact Causes skin irritation.

Inhalation Do not inhale.

Ingestion Do not ingest.

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|------------------------------------|----------------------|-------------------|---------------------------|
| Dimethyl ether 115-10-6 | - | - | = 308.5 mg/L (Rat) 4 h |
| n-Propyl bromide 106-94-5 | = 3600 mg/kg (Rat) | - | = 253 g/m³ (Rat) 30 min |
| Polydimethylsiloxane 63148-62-9 | > 17 g/kg (Rat) | > 2 g/kg (Rabbit) | - |

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Not classifiable as a human carcinogen.

Reproductive toxicity May damage fertility or the unborn child.

STOT - single exposure May cause respiratory irritation. May cause drowsiness or dizziness.

·

STOT - repeated exposure

Numerical measures of toxicity

Not determined

May cause damage to organs through prolonged or repeated exposure.

Revision Date: 01-Jan-2015

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Component Information

| Chemical Name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|------------------------------|----------------------|--|----------------------------|-----------|
| n-Propyl bromide 106-94-5 | | 67.3: 96 h Pimephales promelas mg/L LC50 flow- through | | |

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

| Chemical Name | Partition Coefficient |
|------------------------------|-----------------------|
| Dimethyl ether 115-10-6 | -0.18 |
| n-Propyl bromide 106-94-5 | 2.1 |

Other Adverse Effects

Not determined

Ozone

Contains no ozone depleting chemicals

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Domestic Ground transportation only

UN1954

Proper Shipping Name Compressed gas, flammable, n.o.s. (Dimethyl Ether)

Hazard Class 2.1

15. REGULATORY INFORMATION

International Inventories

| Chemical Name | TSCA | DSL | NDSL | EINECS | ELINCS | ENCS | IECSC | KECL | PICCS | AICS |
|----------------------|---------|-----|------|---------|--------|---------|-------|---------|-------|------|
| Dimethyl ether | Present | Χ | | Present | | Present | Χ | Present | Χ | Χ |
| n-Propyl bromide | Present | Х | | Present | | Present | Х | Present | Х | Х |
| Polydimethylsiloxane | Present | Χ | | | | Present | Χ | Present | Χ | Х |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

| Chemical Name | California Proposition 65 | |
|-----------------------------|---------------------------|--|
| n-Propyl bromide - 106-94-5 | Developmental | |
| | Female Reproductive | |
| | Male Reproductive | |

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|----------------|------------|---------------|--------------|
| Dimethyl ether | X | X | X |
| 115-10-6 | | | |

| n-Propyl bromide | X | X | X |
|------------------|---|---|---|
| 106-94-5 | | | |

16. OTHER INFORMATION

NFPAHealth HazardsFlammabilityInstabilitySpecial HazardsNot determinedNot determinedNot determinedNot determinedHMISHealth HazardsFlammabilityPhysical HazardsPersonal Protection120B

Issue Date:01-Sep-2012Revision Date:01-Jan-2015Revision Note:New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet