

Safety Data Sheet

Issue Date: 01-Sep-2012 Revision Date: 1-April-2017 Version 1

1. IDENTIFICATION

Product Identifier

Product Name Slide Bulk Quick Paintable Mold Release

Other means of identification

SDS# 447BULK

Product Code 447BULK (SDS applies to pint, 1G, 5G, and 55G sizes)

Recommended use of the chemical and restrictions on use **Recommended Use** Industrial mold release.

Details of the supplier of the safety data sheet

Supplier Address Slide Products Inc. 430 S. Wheeling Road Wheeling, IL 60090

Emergency Telephone Number

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Pale, straw, syrupy liquid

Physical State Liquid

Classification

| Acute toxicity - Dermal | Category 4 |
|--|-------------|
| Skin corrosion/irritation | Category 2 |
| Serious eye damage/eye irritation | Category 2 |
| Carcinogenicity | Category 1B |
| Reproductive toxicity | Category 1B |
| Specific target organ toxicity (single exposure) | Category 3 |
| Specific target organ toxicity (repeated exposure) | Category 2 |

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed May be harmful if inhaled

Signal Word

Danger

Hazard Statements

Harmful in contact with skin Causes skin irritation Causes serious eye irritation

May cause cancer

May damage fertility or the unborn child

May cause respiratory irritation. May cause drowsiness or dizziness May cause damage to organs through prolonged or repeated exposure





Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Wear eye/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash it before reuse Call a poison center or doctor/physician if you feel unwell If skin irritation occurs: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|--------------------------|------------|----------|
| n-Propyl bromide | 106-94-5 | 90-99 |
| Paintable Silicone Fluid | 68037-77-4 | 1-9 |

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

General Advice If exposed or concerned: Get medical advice/attention.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin Contact Wash with plenty of soap and water. Take off contaminated clothing and wash it before

reuse. Call a poison center or doctor/physician if you feel unwell. If skin irritation occurs:

Get medical advice/attention.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects

Symptoms May be harmful if swallowed. May be harmful if inhaled. Harmful in contact with skin.

Causes skin irritation. Causes serious eye irritation. May cause cancer. May damage fertility or the unborn child. May cause respiratory irritation. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure.

Revision Date: 1-April-2017

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Not determined.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO2). HBr.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Dike spill, remove with absorbent to landfill in accordance with local, state and federal

regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Obtain special

instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wash face, hands, and any exposed skin thoroughly after handling. Wear eye/face protection. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store locked up. Store in a well-ventilated place. Keep container tightly closed.

Incompatible Materials Alkaline earth metals. Oxidizers. Bases. Reactive metals. Incompatible with natural rubber.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|------------------|--------------|----------|------------|
| n-Propyl bromide | TWA: 0.1 ppm | - | - |
| 106-94-5 | | | |

Appropriate engineering controls

Engineering Controls Adequate ventilation needed.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses with side shields are recommended.

Skin and Body Protection Not needed.

Respiratory Protection Not needed with adequate ventilation.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

Appearance Pale, straw, syrupy liquid Odor Not determined Color Pale straw **Odor Threshold** Not determined

Property Values Remarks • Method

рΗ Not determined

Melting Point/Freezing Point <-40 °C / <-40 °F

Boiling Point/Boiling Range 39.4-111.1 ℃ / 103-232 ℉

Flash Point Not determined

Evaporation Rate 3 Minutes

Flammability (Solid, Gas) Liquid-Not applicable

Upper Flammability Limits Not available **Lower Flammability Limit** Not available

Vapor Pressure 350 mm Hg @ 21 ° C (70 ° F)

Vapor Density (Air=1)>1 **Specific Gravity** 1.325 (Water = 1)Water Solubility Nil

Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

VOC Content 100%

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Under normal conditions of storage and use, hazardous polymerization will not occur.

Conditions to Avoid

Open flames and high temperatures.

Incompatible Materials

Alkaline earth metals. Oxidizers. Bases. Reactive metals. Incompatible with natural rubber.

Hazardous Decomposition Products

Carbon monoxide. Carbon dioxide (CO2). HBr.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes serious eye irritation.

Skin Contact Harmful in contact with skin. Causes skin irritation.

Inhalation May be harmful if inhaled.

Ingestion May be harmful if swallowed.

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|------------------------------|----------------------|-------------|---------------------------------------|
| n-Propyl bromide 106-94-5 | = 3600 mg/kg (Rat) | - | = 253 g/m ³ (Rat) 30 min |
| | | | |

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity May cause cancer.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|------------------|-------|------|------------------------|------|
| n-Propyl bromide | A3 | | Reasonably Anticipated | X |
| 106-94-5 | | | | |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity May damage fertility or the unborn child.

STOT - single exposureMay cause respiratory irritation. May cause drowsiness or dizziness. **STOT - repeated exposure**May cause damage to organs through prolonged or repeated exposure.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Component Information

| Chemical Name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|------------------------------|----------------------|--|----------------------------|-----------|
| n-Propyl bromide 106-94-5 | | 67.3: 96 h Pimephales promelas mg/L LC50 flow- | | |
| | | through | | |

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

| Chemical Name | Partition Coefficient |
|------------------|-----------------------|
| n-Propyl bromide | 2.1 |
| 106-94-5 | |

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

IMDG

Marine Pollutant This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

| Chemical Name | TSCA | DSL | NDSL | EINECS | ELINCS | ENCS | IECSC | KECL | PICCS | AICS |
|--------------------------|---------|-----|------|---------|--------|---------|-------|---------|-------|------|
| n-Propyl bromide | Present | Х | | Present | | Present | Х | Present | Χ | Χ |
| Paintable Silicone Fluid | Present | Χ | | | | Present | Х | Present | Χ | Χ |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

| Chemical Name | California Proposition 65 |
|-----------------------------|---------------------------|
| n-Propyl bromide - 106-94-5 | Developmental |
| | Female Reproductive |
| | Male Reproductive |

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|------------------|------------|---------------|--------------|
| n-Propyl bromide | X | X | X |
| 106-94-5 | | | |

16. OTHER INFORMATION

NFPA **Health Hazards**

Not determined **Health Hazards** **Flammability** Not determined **Flammability**

Instability Not determined **Physical Hazards** **Special Hazards** Not determined **Personal Protection**

Issue Date: 01-Sep-2012 **Revision Date:** 1-April-2017 **Revision Note:** New format

Disclaimer

HMIS

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet