

Safety Data Sheet

Issue Date: 04-Dec-2018

Revision Date: 07-Dec-2018

Version 1

1. IDENTIFICATION

Product identifier Product Name	X-EMPT VOC-Exempt Mold Cleaner		
Other means of identification SDS #	47410		
UN/ID No	UN1950		
Recommended use of the chemical and restrictions on useRecommended UseIndustrial mold cleaner			
Details of the supplier of the safety data sheet Supplier Address Slide Products Inc. 430 Wheeling Road Wheeling, IL 60090			
Emergency telephone number Company Phone Number	Phone: 1-847-541-7220 Fax: 1-847-541-7986		

Emergency Telephone

Phone: 1-847-541-7220 Fax: 1-847-541-7986 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Physical state Aerosol

Classification

Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Flammable aerosols	Category 1
Gases under pressure	Compressed gas

<u>Signal Word</u> Danger

Hazard statements

Causes serious eye irritation May cause drowsiness or dizziness Extremely flammable aerosol Contains gas under pressure; may explode if heated



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear eye protection/ face protection Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. — No smoking Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF INHALED: Remove person to fresh air and keep comfortable for breathing Call a POISON CENTER or doctor if you feel unwell

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Acetone	67-64-1	70-80
1,1 difluoroethane	75-37-6	20-30

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes.	
Inhalation	Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.	
Ingestion	Clean mouth with water and drink afterwards plenty of water.	
Most important symptoms and effects, both acute and delayed		

Symptoms Causes serious eye irritation. May cause drowsiness or dizziness.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Extremely flammable aerosol. Contains gas under pressure; may explode if heated.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Clean-Up	Keep in suitable, closed containers for disposal.
----------------------	---

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe HandlingWash face, hands and any exposed skin thoroughly after handling. Wear protective
gloves/protective clothing and eye/face protection. Avoid breathing
dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Keep away
from heat/sparks/open flames/hot surfaces. — No smoking. Do not spray on an open flame
or other ignition source. Pressurized container: Do not pierce or burn, even after use.

Conditions for safe storage, including any incompatibilities

Storage Conditions	Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 $^{\circ}C/122 ^{\circ}F$.
Incompatible Materials	None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Acetone	STEL: 500 ppm	TWA: 1000 ppm	IDLH: 2500 ppm
67-64-1	TWA: 250 ppm	TWA: 2400 mg/m ³	TWA: 250 ppm
		(vacated) TWA: 750 ppm	TWA: 590 mg/m ³
		(vacated) TWA: 1800 mg/m ³	-
		(vacated) STEL: 2400 mg/m ³	
		The acetone STEL does not apply	
		to the cellulose acetate fiber	
		industry. It is in effect for all other	
		sectors.	
		(vacated) STEL: 1000 ppm	
1,1 difluoroethane	TWA: 1000 ppm	-	-
75-37-6			

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection	Refer to 29 CFR 1910.133 for eye and face protection regulations.
Skin and Body Protection	Refer to 29 CFR 1910.138 for appropriate skin and body protection.
Respiratory Protection	Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	Aerosol Not determined Not determined	Odor Odor Threshold	Not determined Not determined
Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation Rate Flammability (Solid, Gas) Flammability Limit in Air Upper flammability or explosive limits Lower flammability or explosive limits Vapor Pressure Vapor Density Relative Density Water Solubility Solubility in other solvents Partition Coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic Viscosity	Values_ Not determined Not determined 56.1 °C / 133 °F -20 °C / -4 °F Not determined Not determined	<u>Remarks • Method</u>	
Explosive Properties Oxidizing Properties	Not determined Not determined		

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact	Avoid contact with eyes.	
Skin Contact	Avoid contact with skin.	
Inhalation	Do not inhale.	
Ingestion	Do not ingest.	

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Acetone 67-64-1	= 5800 mg/kg (Rat)	> 15700 mg/kg (Rabbit)	= 50100 mg/m ³ (Rat)8 h
1,1 difluoroethane 75-37-6	-	-	= 977 g/m³ (mouse) 2h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	Please see section 4 of this SDS for symptoms.
Delayed and immediate effects a	s well as chronic effects from short and long-term exposure
Serious eye damage/eye irritation	Causes serious eye irritation.
Carcinogenicity	Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
STOT - single exposure	May cause drowsiness or dizziness.
Numerical measures of toxicity	

The following values are calculated based on chapter 3.1 of the GHS document .Oral LD505,800.00 mg/kgDermal LD5015,715.70 mg/kgATEmix (inhalation-dust/mist)100.20 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Acetone		8300: 96 h Lepomis macrochirus	10294 - 17704: 48 h Daphnia
67-64-1		mg/L LC50 4.74 - 6.33: 96 h	magna mg/L EC50 Static 12600 -
		Oncorhynchus mykiss mL/L LC50	12700: 48 h Daphnia magna mg/L
		6210 - 8120: 96 h Pimephales	EC50
		promelas mg/L LC50 static	

Persistence/Degradability

Not determined.

Bioaccumulation There is no data for this product.

Mobility

Chemical name	Partition coefficient
Acetone	-0.24
67-64-1	

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

US EPA Waste Number

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Acetone		Included in waste stream:		U002
67-64-1		F039		

California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
Acetone	Ignitable
67-64-1	

14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

UN/ID No	UN1950
Proper Shipping Name	Aerosols
Hazard class	2.1

IATA

UN number	UN1950
Proper Shipping Name	Aerosols, flammable
Transport hazard class(es)	2.1

IMDG

UN number	UN1950
Proper Shipping Name	Aerosols
Transport hazard class(es)	2.1

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Acetone	Х	Х	Х	Х	Х	Х	Х	Х
1,1 difluoroethane	Х	Х	Х	Х	Х	Х	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Acetone	5000 lb		RQ 5000 lb final RQ
67-64-1			RQ 2270 kg final RQ

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Acetone 67-64-1	Х	X	X
1,1 difluoroethane 75-37-6	Х	X	

16. OTHER INFORMATION

NFPA

HMIS

Health Hazards Not determined Health Hazards Not determined

Issue Date:04-Dec-2018Revision Date:07-Dec-2018Revision Note:New format

Flammability Not determined Flammability Not determined Instability Not determined Physical hazards Not determined Special Hazards Not determined Personal Protection Not determined

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet